



GOVERNMENT OF GOA

**OFFICE OF THE DY. CONSERVATOR OF FORESTS
NORTH GOA DIVISION, PONDA- GOA. 403401**

Phone No. 0832-2312095, 2312856

e-mail:dcfnorth-forest.goa@nic. in

No. 01/DCFN/KERI-48/2023-24/ 1088

Dated:- 14/02/2024

25 Magha, Saka, 1945

Sub:- Permission to fell the trees.

With reference to his/her application dated 07/11/2023 grant of permission to fell the trees to **Mr Shone Michael, r/o H. No. 394, Near Sewage plant, Tonca, Caranzalem, Tiswadi Goa** hereby informed that he/she is granted permission to fell the trees for replantation (as indicated below) from the private property known as "**Gaticho Vate**" in Sy. No.19/2 situated at **Piligao village Bicholim taluka**, subject to the terms and conditions laid down in the **Government Notification No. 9/9/2001-FD/FOR dtd. 15/03/2010** the licence fee and Security deposit is exempted as trees are in man made plantation from private land.

Sr. No	Tree No.	Details of trees Species of trees	Girth (Mts.)
1	1	Rubber	1.23 mt.
2	2	Rubber	1.00 mt.
3	3	Rubber	0.82 mt.
4	4	Rubber	0.98 mt.
5	5	Rubber	1.18 mt.
6	6	Rubber	1.00 mt.
7	7	Rubber	1.07 mt.
8	8	Rubber	1.10 mt.
9	9	Rubber	1.10 mt.
10	10	Rubber	1.18 mt.
11	11	Rubber	1.05 mt.
12	12	Rubber	1.19 mt.
13	13	Rubber	0.93 mt.
14	14	Rubber	1.10 mt.
15	15	Rubber	1.02 mt.
16	16	Rubber	0.92 mt.
17	17	Rubber	1.15 mt.
18	18	Rubber	0.95 mt.
19	19	Rubber	1.15 mt.
20	20	Rubber	1.00 mt.
21	21	Rubber	1.05 mt.
22	22	Rubber	0.98 mt.
23	23	Rubber	1.10 mt.
24	24	Rubber	0.90 mt.
25	25	Rubber	1.05 mt.
26	26	Rubber	1.05 mt.
27	27	Rubber	0.90 mt.
28	28	Rubber	1.00 mt.
29	29	Rubber	0.90 mt.
30	30	Rubber	0.90 mt.
31	31	Rubber	0.92 mt.
32	32	Rubber	1.15 mt.
33	33	Rubber	1.15 mt.
34	34	Rubber	1.35 mt.
35	35	Rubber	0.75 mt.
36	36	Rubber	0.85 mt.
37	37	Rubber	0.95 mt.

38	38	Rubber	1.00 mt.
39	39	Rubber	0.80 mt.
40	40	Rubber	1.20 mt.
41	41	Rubber	1.00 mt.
42	42	Rubber	1.00 mt.
43	43	Rubber	1.05 mt.
44	44	Rubber	2.10 mt.
45	45	Rubber	1.00 mt.


Licencee had to inform the R.F.O. during the currency of licence to inspect the felled material.

TERMS AND CONDITIONS

1. **The Range Forest Officer shall mark the trees before cutting.**
2. Permission to fell the trees is granted at his/her own risk and without prejudice to the claims of the other person/s who may be having any right over the land of trees.
3. **The actual tree felling shall be carried out after 30 days from the date of issue of this tree felling permission. The tree felling may be completed within 45 days after completing 30 days as mentioned above. In case trees felling not completed within 45 days' application for extension of time limit for felling of trees, shall be forwarded to this office through concern Range Forest Officer.**
4. Material produced from felled trees shall not be removed or disposed without permission of the Tree Officer.
5. He/She shall replant trees as per details given below during the ensuing/next planting season in the property from where the trees will be felled.

Sr. No.	Species	No. of trees applied	No. of trees permitted	No. of trees to be replanted
1.	Misc- Species	45 trees	45	135 trees

6. **To compensate the loss User Agency/Applicant is hereby advised to plant tall saplings with good endurance with minimum 8-10 feet height and 10cm diameter at 1 mtr. Height from ground level.**
7. **The event of failure on the part of permit holder to replant the trees as indicated above, the Trees Office shall take necessary action as per the Goa Preservation of Tree Act 1984.**



Dy. Conservator of Forests,
North Goa Division,
Ponda-Goa.

**To,
Mr Shone Michael,
r/o H. No. 394, Near Sewage plant,
Tonca, Caranzalem,
Tiswadi Goa.**

Copy submitted to:-

1. The Conservator of Forests, (Conservation) Panaji-Goa for information.
2. Copy to the Chairman/Secretary, Biodiversity Management Committee, Village Panchayat, Piligao, Bicholim Goa to follow up replantation of trees.
3. Copy to the Range Forest Officer, Keri-Goa.
4. Copy to the Range Forest Officer, Mobile Squad, Ponda.

**“Swachh Bharat, NitalGoem
Towards Greener & Cleaner Goa”.**